

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/472,534	1	2/27/1999	ANTHONY MAZZURCO	036560.6630	8878
24587	7590	06/27/2005	•	EXAMINER	
ALCATEL		OPERTY DEPARTN	JAGANNATHAN, MELANIE		
		KWAY, MS LEGL2	ART UNIT	PAPER NUMBER	
PLANO, T	75075	,	2666		

DATE MAILED: 06/27/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

_		O					
		Application No.	Applicant(s)				
Office Action Summary		09/472,534	MAZZURCO ET AL.				
		Examiner	· Art Unit				
		Melanie Jagannathan	2666				
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the c	orrespondence address				
THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. In period for reply specified above is less than thirty (30) days, a reply or period for reply is specified above, the maximum statutory period we are to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1) 又	Responsive to communication(s) filed on 11 A	pril 2005.					
-		action is non-final.					
•	Since this application is in condition for allowar		osecution as to the merits is				
,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
5) <u>□</u> 6)⊠	Claim(s) <u>16-26</u> is/are pending in the application 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) <u>16-26</u> is/are rejected. Claim(s) is/are objected to.						
8) 🗌	Claim(s) are subject to restriction and/o	r election requirement.					
Applicat	ion Papers						
	The specification is objected to by the Examine						
10)	10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
	Applicant may not request that any objection to the						
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex						
Priority (under 35 U.S.C. § 119						
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachmen	at(s)	_					
	ce of References Cited (PTO-892)	4)					
3) 🔲 Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) er No(s)/Mail Date		Patent Application (PTO-152)				

Art Unit: 2666

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States
- 2. Claims 16-26 are rejected under 35 U.S.C. 102(b) as being anticipated by Richardson US 5,479,608.

Regarding claims 16-21, 25-26, the claimed receiving one or more working channels and at least one protection channel at an input interface to transmission switch is disclosed by two digital cross-connects (Figure 1, elements 2A, 2B) connected with working paths (elements 41-4n) and protection path (element P). The claimed performing a selection at the input interface between the working and protection channels in response to signal quality is disclosed by if signal failure is detected on one of working paths (Figures 3a, 3b, 3c, element 4_{1BA}) at port MA11, the protection path may be used (P_{BA}). The claimed switching the selected ones of working and protection channels through one or more predetermined matrix connections where the matrix connections are not disrupted is disclosed by in light of a signal failure at member input port MA11, signal is bridged from head port B1I to both member input port MB10 and protection output port PBO. Thus a valid signal is being received at node A via protection path PBA and routed to head output port A10 in same manner as normal function but failure is avoided. Furthermore, the signal is still being provided by node B over both protection path and also member path 4 and is still received at input port MA11. Examiner believes

Art Unit: 2666

this teaches idea of non-disruption of matrix connections. See column 10, lines 43-67, column 11, lines 1-32 and Figures 3b, 3c. Also see column 6, lines 7-55, column 7, lines 1-60, column 8, lines 48-67, column 9, lines 1-63, and columns 10-11.

Regarding claim 22, the claimed 1:1 linear automatic protection scheme is disclosed by 1:1 redundancy scheme. See columns 1-2, column 14, lines 41-54.

Regarding claims 23-24, the claimed receiving at least one inbound working channel and at least one in bound protection channel and providing at least one outbound working channel and at least one outbound protection channel is disclosed by working paths and protection path between two cross-connects (See Figure 1). The claimed switching and routing information on inbound working channel to outbound protection channel and routing information on inbound protection channel to outbound working channel at an input/output interface w/o disrupting matrix connections is disclosed by if signal failure is detected on one of inbound working paths by node A, node B responds by routing on outbound protection path Pb. See Figures 3b-3e and column 6, lines 7-55, column 7, lines 1-60, column 8, lines 48-67, column 9, lines 1-63, columns 10-11.

Response to Arguments

Applicant's arguments filed 4/11/2005 have been fully considered but they are not persuasive. Applicant argues with respect to claims 16, 17-22, 23-26, reference Richardson fails to disclose recitation pertaining to predetermined matrix connections not disrupted due to selection between working and protection channels due to line failure. Examiner contends Richardson discloses two cross connect switches (Figure 1, elements 2A, 2B) where the protected group includes working paths and protection path between

Art Unit: 2666

MA1-MAn and MB1-MBn ports. Applicant refers to passage in Richardson at column 10, lines 43-45 where it states if a valid signal is at head port B1I then node B effects third stage bridge to pass signal. Applicant cites this to show Richardson does not disclose not disrupting matrix connections. Examiner regrets not providing a more precise citation of teaching of limitation in Richardson and an explanation follows.

Examiner believes Figures 3b and 3c show that in light of a signal failure at member input port MA11, signal is bridged from head port B1I to both member input port MB10 and protection output port PBO. Thus a valid signal is being received at node A via protection path PBA and routed to head output port A10 in same manner as normal function but failure is avoided. Furthermore, the signal is still being provided by node B over both protection path PBA and also member path 4 and is still received at input port MA11. Examiner believes this teaches idea of non-disruption of matrix connections. Please see column 10, lines 43-67, column 11, lines 1-32 and Figures 3b, 3c. Therefore, rejection is maintained.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2666

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melanie Jagannathan whose telephone number is 571-272-3163. The examiner can normally be reached on Monday-Friday from 8:00 a.m.-4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema Rao can be reached on 571-272-3174. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MJ

FRANK DUONG
PRIMARY EXAMINER

Page 5